



Scan the QR code to download THINKCAR E-catalogue

THINKCAR TECH CO., LTD.

Add: 26F, Block #4, Tian'an Cloud Park,
Longgang District, Shenzhen, China
Business Cooperation: sales@thinkcar.com
Customer Service: +1-909-757-1959(9AM-9PM PST)

Follow us @ thinkcar global



PRODUCT BROCHURE



2024-V5.0

LEADING TECH IN
DIAGNOSTICS

THINKCAR TECH CO., LTD.

LEADING TECH IN
DIAGNOSTICS



THINKCAR



ABOUT THINKCAR



COMPANY PROFILE

THINKCAR TECH Co., Ltd. was established in 2018 focus on R&D, production, sales and service of automotive intelligent diagnostic tools. THINKCAR is one of the world's leading providers of cars & trucks diagnostic tool, TPMS (Tire Pressure Monitoring System), ADAS calibration, remote diagnostic and services.



LEADING TECH IN DIAGNOSTIC

THINKCAR focuses on automotive diagnostic technology research, automotive software development. THINKCAR is dedicated to bringing better automotive tools and service to the society, and strives to become the world's leading supplier of automotive smart tools! Our vision is to create the best value for customers, employees and THINKCAR global distributors!



2019

In 2019 THINKCAR established THINKCAR US branch, responsible for US and Canada business.



2020-2021

THINKCAR total employees are up to **300+**, **60%** employees with R&D background.



2022

In 2022 THINKCAR has created more than 40 THINK series tools, with **200,000+** registered users. THINKCAR tools are sold to more than **150** countries and regions. The sales network covers all over the world.

In 2022 THINKCAR established THINKCAR Europe branch in Frankfurt Germany, responsible for the entire EUROPE countries business.

LEADING TECH IN
DIAGNOSTICS

www.thinkcar.com

01

Video Remote Tools

THINKTOOL X10

Real-time Video Remote Diagnostic Tablet

TO SEE, TO HEAR, THE FIRST REAL-TIME REMOTE DIAGNOSTIC SERVICE



Video Remote




Online Programming



41 Maintenance



OE-Level Diagnosis




128G/High-end Hardware



Heavy Duty (Optional)

THINKTOOL X10

THINKTOOL X10 is a high-end, comprehensive and intelligent video remote diagnostic equipment developed by THINKCAR. X10 supports on-site diagnostic and remote diagnostic, providing the industry first dual diagnostic services.



Dual Remote Diagnostic Services



• Video Remote

Repair shops, automotive technicians can use X10 to make video calls with online senior technicians to diagnose vehicles problems remotely.

• Remote Control

X10 can remotely control any THINKCAR tools to solve diagnostic issues and provide online services.

Online Programming

Audi,BMW,Land Rover,Mercedes-Benz,Nissan,Seat,Skoda,Subaru,VW,Porsche

41 Maintenance Reset

A/F Reset,Windows Calibration,Tyre Reset,Transport Mode,NOx Sensor Reset,Language Change,Injector,Immo,Bleeding,TPMS Reset,ODO Meter,Sus Reset,Sun Roof,GearBox Learn,Gear Learn,Elec. Throttle Rlm,EGR Adaption,Airbag Reset,Stop/Start Reset,Seats Calibration,SAS Reset,Oil Reset,DPF Reg.,Coolant Bleed,Brake Reset,BAT. Match,AFS Reset,AdBlue Reset,AC System Relearn/Initialization,Engine Power Balance Monitoring,Intelligent Cruise Control System,Motor Angle Calibration,High Voltate Battery Diagnostics,Gas Particulate Filter Regeneration,IMMO PROG,Clutch Matching, ECU Reset,FRM Matching,Rainfall Light Sensor,Turbocharging Matching,Gateway Module Data Calibration

OE-Level Diagnosis

- Special Function
- ECU Coding
- Bi-directional Control
- Read Codes
- Live Data Stream
- Clear Codes

ADAS Calibration

X10 can work with THINKCAR ADAS Calibration tools to meet the daily automotive calibration needs.

Specifications

- ROM/RAM: 128G/4GB
- Battery : 12600mAh/ 3.7V
- Camera: 13MP Rear
- Screen Size: 10-inch

THINKTOOL X5

5-INCH Real-time Video Remote Diagnostic Scanner

TO SEE, TO HEAR, THE FIRST REAL-TIME REMOTE DIAGNOSTIC SERVICE



Local OE-Level
Diagnosis



Advanced Coding



Bi-directional Control



Special Function




Heavy Duty
(Optional)

THINKTOOL X5

THINKTOOL X5 introduces the world first dual remote diagnostic technology in the 5-inch tablet to diagnose vehicle remotely. With the service of online technicians, repair shops and auto-mechanics (Consumer- end) can use X5 to initiate a remote request to communicate with X5 online technicians via video, voice or text.



Video Remote Diagnosis



Repair Shop

Video Remote Service Center

Local OE-Level Diagnosis

THINKTOOL X5 is also an OE level diagnostic tool, Android 10 operating system, supports full vehicle diagnosis, read and clear fault codes, special function, bi-directional control and more.



Read Codes



Clear Codes



Live Data Stream



Diagnostics
Function



Bi-directional
Control



Advanced Coding

Specifications

- Operating System: Android 10
- Screen Size: 5-inch
- Battery: 3150mAh/3.7V
- Camera: 13MP Rear
- Storage: 64G/ 4G

THINKLINK Video Remote Service Device

THE WORLD FIRST VIDEO REMOTE SERVICE CENTER
FOR THINKTOOL X10, THINKTOOL X5



B Terminal Box



Super Remote Service



Fast Communication



Easy to Use



Online Merchants
Management

THINKLINK Video Remote Service Device

THINKLINK VIDEO REMOTE Service device is a remote communication box, connecting THINKCAR remote diagnostic tool X10/X5 with online service center and online technicians. With the THINKLINK Box, online technicians can receive or answer online diagnostic requests to provide online remote diagnostics services with any diagnostic instruments.



THINKCAR Online Service Center Deployment

THINKCAR is constructing the server for the video remote service center. Estimate 29 countries and regions will be deployed with the server by 2022. At the moment, 10 countries and regions has been completed the server deployment.



Advantages

- Saving Cost and increase online turnover for repair shops and auto-mechanics.
- Flexible arrange service and work time
- Increase customer satisfaction by offering online services
- Easy to join with high Return on Investment
- LAN/WAN interface, the remote communication is reliable and fast
- 3.97-inch touch screen help monitor the real time remote diagnostic progress
- Compatible with any third-party diagnostic tools

Specifications

- Screen Size: 3.97-INCH
- CPU: ARM 528 MHz
- Diagnostic Port: 16 PIN
- Communication: WAN/LAN

LEADING TECH IN
DIAGNOSTICS

www.thinkcar.com

02

Professional Diagnostic Tools

THINKTOOL Max

13-inch OE-Level Diagnostic Tool For Passenger And Commercial Vehicles

LARGER, FASTER, MORE POWERFUL



Online Programming



Cars & Trucks Support



Remote Diagnosis



41 Maintenance

THINKTOOL Max

THINKTOOL MAX is a new generation diagnostic tool developed by THINKCAR with powerful online programming, OE-level diagnostic for 300+ car makes worldwide. It's the top one diagnostic tool in automotive diagnostic.



Powerful Online Programming

THINKTOOL MAX, the most powerful modular programming diagnostic tool, introduces intelligent programming function available for Audi, BMW, Land Rover, Mercedes-Benz, Nissan, Porsche, Seat, Skoda, Subaru, VW and more.

Equipped 4 Functional Modules



THINKEASY Battery Test Clip(Standard)



THINKTOOL Video Scope(Standard)



THINKCAR T-Wand 200 (Standard)



THINKTOOL Scope Box(Standard)

Main Features

- OE-level diagnosis for 300+ passenger & commercial vehicles, support full vehicle diagnosis such as read and clear DTCs, live data stream, actuation test, Advanced coding, special function and more.
- Online programming for AUDI, BMW, Land rover, Mercedes-Benz, Nissan, Porsche, Seat, Skoda, Subaru, vw, more to come!
- Accurate ADAS Calibration services, THINKTOOL Max can work with THINKCAR ADAS to fulfil daily calibration needs.
- 41 maintenance reset, such as oil reset, brake-pad reset, steering angle reset, battery matching, ABS bleeding, TPMS reset, DPF regeneration, gear learning, throttle adaption and more.
- Compatible with THINKCAR PROG, to operate car key matching & programming, gearbox programming, replace anti-theft device parts.
- Superior Hardware, 13.3-inch HD touch screen, 286GB/ 8GB storage, 13MP rear camera, 18600mAh battery.

Specifications



13 megapixel rear camera



18600mAh battery



Brightness up to 800 nit



8GB RAM, 256GB STORAGE



13.3 INCH LED touch screen

THINKTOOL Master X

10-inch Professional Diagnostic Tool For Passenger And Commercial Vehicles

THE MOST POWERFUL DIAGNOSTIC TOOL



Online Programming



Cars&Trucks Support



OE-Level Diagnosis




41 Maintenance

THINKTOOL Master X

THINKTOOL Master X is an upgraded full function diagnostic tool, supporting 220 car makes globally, 12V&24V passenger, commercial, hybrid vehicles, heavy duty trucks, and more.



41 Maintenance Reset



Protocol Support

THINKTOOL Master X adopts the latest DoIP and CAN FD protocols as well as J2534, D-PDU, DoIP and more.

- DoIP Protocol
- CAN FD Protocol
- J2534 Protocol
- D-PDU Protocol

Online Programming

THINKTOOL Master X supports online programming functions for Audi, BMW, LANDROVER, Mercedes-Benz, Nissan, Porsche, Seat, Skoda, Subaru, VW and more.

Support 8 Functional Modules

- THINKPRINTER(Standard)
- THINKWORKLIGHT(Optional)
- THINKTOOL Battery Tester(Optional)
- THINKTOOL Thermal Imager(Optional)
- THINKTOOL Video Scope(Optional)
- THINKTOOL Scope Box(Optional)
- THINKCAR T-Wand 200(Optional)
- THINKCAR PROG(Optional)

Specifications

- ROM/RAM: 128G/4GB
- Battery : 12000mAh/3.7V
- Camera: 8MP Rear
- Screen Size: 10-inch

THINKTOOL Master X2

Advanced Diagnostic Tool With Video Remote Access

SUPERIOR HARDWARE WITH POWERFUL DIAGNOSTIC FUNCTION



NEW
ARRIVAL
2024



Video Remote



Build-in TPMS
Service



OE-Level Diagnostic
Function



Powerful Online
Programming

THINKTOOL Master X2

THINKTOOL Master X2 is a 10.1-inch touchscreen Android-based advanced diagnostic tablet, with 128GB memory and THINKLINK VCI, supporting the latest DoIP, D-PDU, CAN FD vehicle communication protocols. The Master X2 features the powerful full function full system diagnostic with THINKCAR newly developed video remote technology. The build-in TPMS module supports TPMS sensor activation, programming and relearn function. One tool to meet different diagnostic scenarios.



41 Maintenance Reset



Advanced Features

- Build-in Video remote services, one key to connect with qualified online technicians.
- Support more than 300 US, European, Asian vehicles, including passenger, commercial and electric vehicles.
- Support the latest DoIP, D-PDU, CAN FD vehicle communication protocols.
- Full system full function diagnostic features, from comprehensive OBDII diagnostics and services to advanced coding and programmings.
- One key activation without registration, with better user experience.
- Build-in TPMS module, no need extra TPMS tools, provide TPMS sensor activation, programming and relearn function.
- Powerful online programming for more than 14+ vehicle brands.
- Accurate ADAS calibrations with THINKCAR ADAS equipment.
- 2 years passenger software free update. The heavy duty software and electric software are sold separately.

Specification

- CPU: 2.0G GHz Quad Core
- Rom/ Ram: 128 G/ 4G
- Battery: 12600mAh/ 3.7V
- Operating System: Android 10
- Camera: 13MP Rear
- Screen Size: 10.1

THINKTOOL Euro Expert

12-INCH PROFESSIONAL DIAGNOSTIC TOOL WITH POWERFUL
3-IN-ONE THINKDIAG 4 VCI



- Support New Diagnostic CAN FD Protocol
- 2 Channel Oscilloscope
- Multimeter Support



TPMS S1 TPMS Module



Online
Programming



3-In-One
THINKDIAG VCI



OE-Level
Diagnostic



128G Storage



41 Maintenance

THINKTOOL Euro Expert

2022 New Arrival, The THINKTOOL Euro Expert delivers leading-edge automotive diagnostics, repair, and calibration technologies in 12-inch Android 10 tablet. With powerful THINKDIAG 4 VCI, combining intelligent diagnostics, Oscilloscope, Multimeter support. Additionally, the euro expert supports powerful online programming, advanced coding, bi-directional control and 41 maintenance reset functions.



Advantages

- OE level diagnostic including full vehicle diagnostics, read and clear DTCs, read, save and compare data stream, special function, bi-directional control, coding and more.
- Powerful Online Programming function for Audi, BMW, LANDROVER, Mercedes-Benz, Nissan, Porsche, Seat, Skoda, Subaru, VW. More to come.
- Integrated the most commonly used 41 different kind of maintenance function.
- Support Accurate ADAS calibrations with THINKCAR ADAS equipment.
- Support the latest CAN FD, J2534, D-PDU protocols.
- Support 168+ heavy duty, medium duty, trucks. The HD software are sold separately.
- Equipped with powerful 3-IN-ONE THINKDIAG VCI, with Oscilloscope, Multimeter function.
- Equipped with intelligent TPMS service module and 4 TPMS sensors.
- Equipped with 2-Channel Oscilloscope, Multimeter accessories.
- Equipped with 15 pieces non-standard connectors for passenger vehicles.
- Equipped with BMW online programming accessories.

41 Maintenance Reset

A/F Reset, Windows Calibration, Tyre Reset, Transport Mode, NOx Sensor Reset, Language Change, Injector, Immo, Bleeding, TPMS Reset, ODO Meter, Sus Reset, Sun Roof, GearBox Learn, Gear Learn, Elec. Throttle Rlm, EGR Adaption, Airbag Reset, Stop/Start Reset, Seats Calibration, SAS Reset, Oil Reset, DPF Reg., Coolant Bleed, Brake Reset, BAT. Match, AFS Reset, AdBlue Reset, AC System Relearn/Initialization, Engine Power Balance Monitoring, Intelligent Cruise Control System, Motor Angle Calibration, High Voltage Battery Diagnostics, Gas Particulate Filter Regeneration, IMMO PROG, Clutch Matching, ECU Reset, FRM Matching, Rainfall Light Sensor, Turbocharging Matching, Gateway Module Data Calibration

Support 6 Functional Modules

- Thermal Imager
- ThinkEasy Battery Test Clip
- Printer
- Worklight
- TPMS Module
- Video Scope-USB Version

Specifications

- CPU: 2.0GHz Quad Core
- ROM/RAM: 128G / 4G
- Camera: 13MP Rear
- Battery: 12600mAh / 3.7V
- Operating System: Android 10
- Software: 2-Year Free Update

THINKTOOL Master 2

10-inch Online Programming Diagnostic Tool

THE MOST INTELLIGENT DIAGNOSTIC TOOL,SUPPORT CAN FD PROTOCOL



Online Programming



Heavy Duty Support
(Optional)



OE-Level Diagnosis



Full TPMS Services
(Optional)

THINKTOOL Master 2

THINKTOOL Master 2 is an upgraded version of THINKTOOL Master. Master 2 is equipped with TVCI connector,which supports CAN FD protocol with the latest and more expansion vehicle coverage.



Online Programming

THINKTOOL Master 2 supports online programming functions for Audi, BMW, LANDROVER, Mercedes-Benz, Nissan, Porsche, Seat, Skoda, Subaru, VW and more.

Support 9 Functional Modules

THINKTOOL
Battery Tester
(Optional)

THINKCAR
T-Wand 200
(Optional)

THINKTOOL
Video Scope
(Optional)

THINKTOOL
Scope Box
(Optional)

THINKWORKLIGHT
(Optional)

THINKTOOL
Thermal Imager
(Optional)

THINKPRINTER
(Optional)

Heavy Duty Module

With heavy duty module, THINKTOOL Master 2 is capable of diagnose 24V heavy duty trucks including read version information, read and clear DTCs, data stream, actuation test, special function and more.

THINKCAR PROG2

Make Immobilizer
Matching Easier

41 Maintenance Reset

A/F Reset,Windows Calibration,Tyre Reset,Transport Mode,NOx Sensor Reset,Language Change,Injector,Immo,Bleeding,TPMS Reset,ODO Meter,Sus Reset,Sun Roof,GearBox Learn,Gear Learn,Elec. Throttle Rlm,EGR Adaption,Airbag Reset,Stop/Start Reset,Seats Calibration,SAS Reset,Oil Reset,DPF Reg.,Coolant Bleed,Brake Reset,BAT. Match,AFS Reset,AdBlue Reset,AC System Relearn/Initialization,Engine Power Balance Monitoring,Intelligent Cruise Control System,Motor Angle Calibration,High Voltate Battery Diagnostics,Gas Particulate Filter Regeneration,IMMO PROG,Clutch Matching, ECU Reset,FRM Matching,Rainfall Light Sensor,Turbocharging Matching,Gateway Module Data Calibration

ADAS Calibration Service

THINKTOOL Master 2 supports THINKCAR ADAS calibration kit to meet daily calibration needs for repair shops.

Specifications

- ROM/RAM: 64G/4GB
- Camera: 8MP Rear
- Battery : 12600mAh/3.7V
- Screen Size: 10-inch

THINKTOOL Master

10-inch Online Programming Diagnostic Tool

THE MOST INTELLIGENT DIAGNOSTIC TOOL



Online Programming



Heavy Duty Support
(Optional)




OE-Level Diagnosis



Full TPMS Services
(Optional)

THINKTOOL Master

THINKTOOL Master is a 10-inch professional diagnostic tool based on Android 10 system with online programming, full vehicle scan, 41 maintenance reset and more advanced diagnostic functions.



Online Programming

THINKTOOL Master supports online programming functions for Audi, BMW, LANDROVER, Mercedes-Benz, Nissan, Porsche, Seat, Skoda, Subaru, VW and more.

Support 9 Functional Modules



THINKTOOL
Battery Tester
(Optional)



THINKCAR
T-Wand 200
(Optional)



THINKTOOL
Video Scope
(Optional)



THINKTOOL
Scope Box
(Optional)



THINKWORKLIGHT
(Optional)



THINKTOOL
Thermal Imager
(Optional)



THINKPRINTER
(Optional)



Heavy Duty Module

With heavy duty module, THINKTOOL Master is capable of diagnose 24V heavy duty trucks including read version information, read and clear DTCs, data stream, actuation test, special function and more.



THINKCAR PROG2

Make Immobilizer
Matching Easier

41 Maintenance Reset

A/F Reset, Windows Calibration, Tyre Reset, Transport Mode, NOx Sensor Reset, Language Change, Injector, Immo, Bleeding, TPMS Reset, ODO Meter, Sun Reset, Sun Roof, GearBox Learn, Gear Learn, Elec. Throttle Rlm, EGR Adaption, Airbag Reset, Stop/Start Reset, Seats Calibration, SAS Reset, Oil Reset, DPF Reg., Coolant Bleed, Brake Reset, BAT. Match, AFS Reset, AdBlue Reset, AC System Relearn/Initialization, Engine Power Balance Monitoring, Intelligent Cruise Control System, Motor Angle Calibration, High Voltage Battery Diagnostics, Gas Particulate Filter Regeneration, IMMO PROG, Clutch Matching, ECU Reset, FRM Matching, Rainfall Light Sensor, Turbocharging Matching, Gateway Module Data Calibration

ADAS Calibration Service

THINKTOOL Master supports THINKCAR ADAS calibration kit to meet daily calibration needs for repair shops.

Specifications

- ROM/RAM: 64G/4GB
- Camera: 8MP Rear
- Battery : 12600mAh/3.7V
- Screen Size: 10-inch

THINKTOOL Expert 195

9-INCH PROFESSIONAL DIAGNOSTIC PAD WITH THINKLINK LITE VCI!



**NEW
ARRIVAL
2024**



Video Remote



Full System Diagnostic



Superior Hardware



35 Maintenance

THINKTOOL Expert 195

THINKTOOL Expert 195 is a newly developed full system full function diagnostic tool support, DOIP, CAN FD protocols with the latest and more expansive passenger vehicle coverage. The Expert 195 keep the original THINKTOOL back cover design, to support external modules such as printer, battery tester, thermal imager, worklight, TPMS module and more.



35 Maintenance Reset

AF	SCR	AFS	AIRBAG	BLEEDING	BMS	BRAKE
A/F	ADBLUE	AFS	AIRBAG	BLEEDING	BMS	BRAKE
COOLANT	DPF	EGR	ETS	GEAR	GEARBOX	IMMO
COOLANT	DPF	EGR	ETS	GEAR	GEARBOX	IMMO
INJECTOR	LANGUAGE	NOx	ODO	OIL	SAS	SEATS
INJECTOR	LANGUAGE	NOx	ODO	OIL	SAS	SEATS
STOP/START	SUN	SUS	TPMS	TRANSPORT	TYRE	WINDOWS
STOP/START	SUN	SUS	TPMS	TRANSPORT	TYRE	WINDOWS
GAS PARTICULATE FILTER REGENERATION	ENGINE POWER BALANCE MONITORING	MOTOR ANGLE CALIBRATION	AC SYSTEM RELEARN /INITIALIZATION	IMMO PROG	HIGH VOLTAGE BATTERY DIAGNOSTIC	INTELLIGENT CRUISE CONTROL SYSTEM
GAS PARTICULATE FILTER REGENERATION	ENGINE POWER BALANCE MONITORING	MOTOR ANGLE CALIBRATION	AC SYSTEM RELEARN /INITIALIZATION	IMMO PROG	HIGH VOLTAGE BATTERY DIAGNOSTIC	INTELLIGENT CRUISE CONTROL SYSTEM

OE-Level Full System Diagnostic



Read/Clear Fault Codes



Read/Save/ Compare
Data Stream



Special Function



Advanced Coding



Actuation Test



Key Programming
with THINKCAR Prog




ADAS Calibrations
With ADAS Equipment

Specifications

- Operating System: Android 10
- Storage: 4G/128G
- Software: 2-Year free update for passenger software
- Screen Size: 9-inch
- Battery: 12600mAh/3.8V
- Camera: 800MP Rear

THINKTOOL SE

8-INCH 64G CLASSIC AUTOMOTIVE DIAGNOSTIC TOOL



OE-Level Diagnosis



Advanced Coding



Bi-directional Control



34 Maintenance



64G/Dual Camera

THINKTOOL SE

THINKTOOL SE is the newest 8-inch professional diagnostic tool with the latest in Android 10 operating system. Powerful full systems OE level diagnostic capabilities with superior dual camera, 64G hardware. Supports up to 34 service maintenance resets, bi-directional control, full line of thinkcar functional modules, covers 220+ vehicle brands on the market.



34 Maintenance Reset



A/F Reset



Windows Calibration



Tyre Reset



Transport Mode



NOx Sensor Reset



Language Change



Injector



Immo



Bleeding



TPMS Reset



ODO Meter



Sus Reset



Sun Roof



GearBox Learn



Gear Learn



Elec. Throttle Rlm



EGR Adaption



Airbag Reset



Stop/Start Reset



Seats Calibration



SAS Reset



Oil Reset



DPF Reg.



Coolant Bleed



Brake Reset



BAT. Match



AFS Reset



AdBlue Reset



Clutch Matching



ECU Reset



FRM Matching



Rainfall Light Sensor



Turbocharging Matching



Gateway Module Data Calibration

OE-Level Full System Diagnostic



Read/Clear DTCs



Graphic Live Data



Special Function



Advanced Coding



Bi-directional Control

Support Full THINKCAR Modules



Printer



Work Light



Video Scope



Battery Tester



Thermal Imager



Scope Box-USB Version



T-Wand 200

Remarks: The modules are sold separately. Please contact local dealer to buy.

Specifications

- Operating System: Android 10
- Screen Size: 8-inch
- ROM/RAM: 64G/4G
- CPU: MT 6761 Core 4 2.0GHZ
- Battery: 12600mAh/3.7V
- WIFI: WLAN 80211 b/g/n
- Camera: 13MP Rear/ 5MP Front
- Bluetooth: Bluetooth 5.0

THINKTOOL Lite 2

7-Inch Full Function Diagnostic Tool

2024 NEW EDITION WITH THINKDIAG MINI 2 VCI



Support CAN FD Protocol



OE-Level Diagnostics



RAM/ROM: 4G/64G



34 Maintenance

THINKTOOL Lite 2



The THINKTOOL Lite 2 is an updated version with more expansive vehicle coverage of the THINKTOOL Lite. The lite 2 supports DoIP, CAN FD and the standard OBDII/ EOBDII protocols after 1996. It provides the full system full diagnostic features from read and clear DTCs, read live data stream to advanced features such as maintenance reset, special function, coding and more.



34 Maintenance Reset

- | | | | | | | |
|-------------------------------------|---------------------------------|-------------------------|-----------------------------------|---------------------------------|-----------------------------------|---------|
| AF | ADBLUE | AFS | AIRBAG | BLEEDING | BMS | BRAKE |
| COOLANT | DPF | EGR | ETS | GEAR | GEARBOX | IMMO |
| INJECTOR | LANGUAGE | NOX | ODO | OIL | SAS | SEATS |
| STOP/START | SUN | SUS | TPMS | TRANSPORT | TYRE | WINDOWS |
| GAS PARTICULATE FILTER REGENERATION | ENGINE POWER BALANCE MONITORING | MOTOR ANGLE CALIBRATION | AC SYSTEM RELEARN /INITIALIZATION | HIGH VOLTAGE BATTERY DIAGNOSTIC | INTELLIGENT CRUISE CONTROL SYSTEM | |

Comparison of the Lite 2 and T77

Model	 THINKTOOL Lite 2	 THINKTOOL T77
CPU	MT8365,Cortex-A53 Quad-Core	MT8365,Cortex-A53 Quad-Core
RAM	4G	4G
ROM	64G	64G
Camera	NA	NA
Screen Size	7-inch	7-inch
Battery	6000mAh/3.8v	6000mAh/3.8v
VCI	Diag Mini2	1.2M DB15 Diagnostic Cable
Software	2-Year Free Update	2-Year Free Update
Diagnostic Features	<ul style="list-style-type: none">• Read/Clear DTCs• Special Function	<ul style="list-style-type: none">• Read/Save/Compare Data Stream• Advanced Coding• Bi-directional Control
Module Support	<ul style="list-style-type: none">• Printer• T-wand 200• Video Scope• Scope Box	

THINKTOOL T77

7-Inch Plug-play Full Function Diagnostic Tool

2024 NEW EDITION



Support CAN FD Protocol



OE-Level Diagnostics



RAM/ROM: 4G/64G



34 Maintenance

THINKTOOL T77



The THINKTOOL T77 is an updated version with more expansive vehicle coverage, it equipped with the 1.2M DB15 diagnostic cable, which supports DoIP, CAN FD and the standard OBDII/ EOBDII protocols after 1996. The T77 has the same diagnostic functions with the THINKTOOL Lite 2, which include read and clear DTCs, read live data stream, maintenance reset, special function, coding and more.



34 Maintenance Reset

A/F	ADBLUE	AFS	AIRBAG	BLEEDING	BMS	BRAKE
COOLANT	DPF	EGR	ETS	GEAR	GEARBOX	IMMO
INJECTOR	LANGUAGE	NOX	ODO	OIL	SAS	SEATS
STOP/START	SUN	SUS	TPMS	TRANSPORT	TYRE	WINDOWS
GAS PARTICULATE FILTER REGENERATION	ENGINE POWER BALANCE MONITORING	MOTOR ANGLE CALIBRATION	AC SYSTEM RELEARN /INITIALIZATION	HIGH VOLTAGE BATTERY DIAGNOSTIC	INTELLIGENT CRUISE CONTROL SYSTEM	

Comparison of the T77 and Lite 2

Model	 THINKTOOL T77	 THINKTOOL Lite 2
CPU	MT8365,Cortex-A53 Quad-Core	MT8365,Cortex-A53 Quad-Core
RAM	4G	4G
ROM	64G	64G
Camera	NA	NA
Screen Size	7-inch	7-inch
Battery	6000mAh/3.8v	6000mAh/3.8v
VCI	1.2M DB15 Diagnostic Cable	Diag Mini2
Software	2-Year Free Update	2-Year Free Update
Diagnostic Features	<ul style="list-style-type: none">• Read/Clear DTCs• Special Function	<ul style="list-style-type: none">• Read/Save/Compare Data Stream• Advanced Coding• Bi-directional Control
Module Support	<ul style="list-style-type: none">• Printer• T-wand 200• Video Scope• Scope Box	

THINKTOOL Lite

6-inch portable automotive diagnostic tool

THE MOST ECONOMIC TOOL



6-inch



Unique Design




OE-Level Diagnosis



TPMS Service
(Optional)

THINKTOOL Lite

THINKTOOL Lite is a 6-inch OE-level diagnostic tool developed by THINKCAR, which supports full vehicle full system diagnostic including read and clear fault code, live data stream, bi-directional control, actuation test, ECU coding and more for 128+ car makes worldwide.



OE-level Diagnostic

THINKTOOL Lite is an OE-level diagnostic tool developed by THINKCAR, supporting full vehicle full system diagnostic including read and clear fault code, live data stream, bi-directional control, active test, ECU coding and more for 128+ car makes worldwide.



Full system diagnostic



Bi-directional control



Active test



Special function



ECU coding

Support 6 Functional Modules



THINKPRINTER
(Standard)



THINKTOOL Battery
Tester(Optional)



THINKTOOL Video
Scope(Optional)



THINKCAR T-Wand
200(Optional)



THINKTOOL Scope
Box(Optional)



THINKTOOL Thermal
Imager(Optional)



THINKWORKLIGHT
(Optional)

28 Maintenance Reset

- | | | | |
|-----------------------|-----------------|-----------------------|-----------------|
| • A/F Reset | • Immo | • Gear Learn | • Oil Reset |
| • Windows Calibration | • Bleeding | • Elec. Throttle Rlrm | • DPF Reg. |
| • Tyre Reset | • TPMS Reset | • EGR Adaption | • Coolant Bleed |
| • Transport Mode | • ODO Meter | • Airbag Reset | • Brake Reset |
| • NOx Sensor Reset | • Sus Reset | • Stop/Start Reset | • BAT. Match |
| • Language Change | • Sun Roof | • Seats Calibration | • AFS Reset |
| • Injector | • GearBox Learn | • SAS Reset | • AdBlue Reset |

Remarks: THINKTOOL Lite offers two years software free update services.

Specifications

- | | |
|--------------------------|-----------------------|
| • ROM/RAM: 32G/2GB | • Camera: 8MP Rear |
| • Battery : 6200mAh/3.7V | • Screen Size: 6-inch |

THINKTOOL Reader 7

Full System Diagnostic With Lifetime Free Subscription

5-INCH AUTOMOTIVE DIAGNOSTIC TOOL



Plug and Play



Oe-level Diagnosis



7-System Scan



Lifetime Subscription

THINKTOOL Reader 7

THINKTOOL Reader 7 is a 5-inch Android system diagnostic tool produced by THINKCAR. It offers lifetime subscription for Mechanics, Repair Shops and DIYers.



28 maintenance Reset

Any 7 Reset Lifetime Free

- | | | | |
|---------------------------|--------------------|--------------------|----------------|
| • Oil Reset | • Coolant Reset | • Brake-pad Reset | • ODO Reset |
| • Steering Angle Reset | • Seat Calibration | • Battery Matching | • Tyre Reset |
| • Elec. Throttle Adaption | • ABS Bleeding | • Language Reset | • A/F Reset |
| • Sunroof Initialization | • EGR Adaption | • DPF Regeneration | • A/T Learning |
| • AFS (headlamp) Reset | • Injector Reset | • Transport Reset | • Airbag Reset |
| • Windows Calibration | • Gear Learning | • Immobilize Reset | • SUS Reset |
| • TPMS Reset | • Adblue Reset | • Stop/Start Reset | • NOX Reset |

7 Systems Scan

THINKTOOL Reader 7 supports to read and clear fault code, read live data stream and more, on 7 vehicle systems, ABS, SRS, ECM, TCM, BCM, AC and IC.

- | | |
|--------------------------------|-------------------------------------|
| • ABS - Anti-lock Brake System | • SRS - Safety AirBag System |
| • ECM - Engine Control Module | • TCM - Transmission Control Module |
| • BCM - Body Control Module | • AC - Air Conditioning System |
| • IC - Instrument System | |

Free OBD and EOBD Function

THINKTOOL Reader 7 supports full OBD II and EOBDII functions such as read and clear codes, freeze frame, I/M readiness(smog test), data stream, O2 sensors, EVAP system etc.



Read Codes



EVAP System Test



Freeze Frame



O2 Sensor Test



Live Data Stream



Clear Codes



I/M Readiness

Specifications

- | | |
|----------------|-----------------------|
| • Android 6 | • Screen Size: 5-inch |
| • Storage: 32G | • Cable: 1.2m |

THINKTOOL Euro IMMO Master

ALL-IN-ONE KEY PROGRAMMER, ONE IS ENOUGH



Advanced PROG



Superior
IMMO Function



OE-Level
Diagnostic



14 Maintenance



8-inch
32G Storage

THINKTOOL Euro IMMO Master

EURO IMMO Master is the most advanced and unique all in one key programming and diagnostic tool that combines advanced key programming, all systems diagnostics, and maintenance services in one Android based 8-inch touchscreen tablet. It is equipped with THINKCAR PROG2 key programmer to provide more advanced IMMO and programming functions.




Advanced Programming Function

- EEPROM Read & Write
- MCU Read & Write
- Immobilizer Read & Write
- Engine Read & Write
- Read Anti-theft PINCODE
- Anti-theft Module Match
- Mercedes Infrared Key Read/Write
- Remote Frequency Detection

Superior IMMO Function Than Ever

- Read PIN(Add Key/All Key Lost)
- Restore/Backup IMMO Data
- Key Generation/Key Learning/Remote Learning
- IMMO ECU Reset/Adaption
- Guided and Automated Key Learning Function
- Auto Detect Make/Model/Year/System

Integrated 14 Maintenance Function



OE-Level Diagnostics

- All system Scan
- Special Function
- Bi-directional Control
- ECU Coding

Specifications

- Display: 8-inch HD Screen
- Operating System: Android 10
- CPU: MT6761 2GB LPDDR4+32GB EMMC
- Storage: ROM/RAM 32G/2G
- Software Update: 2-Year Free Update
- TPMS: Optional
- Extra THINKCAR Modules: Supported

THINKCAR PROG2

Making Immobilizer Match Easier And Smarter

ADVANCED KEY FOB PROGRAMMER AND IMMO TOOL



All-in-One
Key Programmer




Support 1000+ ECU,
MCU, EEPROM



Expanded
EEPROM functions



Replace Anti-theft
Device Parts




Read and write
Key Chips

THINKCAR PROG2

THINKCAR PROG2 advanced key and chip programmer is mainly used for reading/writing and learning car keys to the vehicle, it supports 1000+ commonly used ECU, MCU and EEPROM. The PROG2 is compatible with thinkcar advanced diagnostic tools, enables programming of infrared keys for Mercedes vehicles, generating special keys, BMW engine INS code reading, BMW CAS4+/FEM chip reading and writing, etc.




Compatible with THINKTOOL Series




THINKTOOL Max



THINKTOOL X10



THINKTOOL Master X



THINKTOOL Master / Master II

Note: The THINKCAR PROG2 will need to be used with THINKTOOL series. The PROGS is with free software updates for the life of the tool.

Main Feature

- Advanced All-in-one key chip/ anti-theft chip read and write.
- Backup and restore IMMO data.
- Support 1000+ common ECU/MCU/EEPROM.
- Volkswagen's fourth-generation UDS engine chip read and write.
- Volkswagen/Audi fourth-generation UDS engine replacement (after 2016 year).
- Volkswagen/Audi MQB platform engine/ gearbox, dashboard, steering column replacement.
- Volkswagen/Audi dashboard replace without disassembly and lost data (can be directly read from the harness, no need to remove the chip), except 35XX, NEC24c64 14+.
- Audi fourth-generation EZS, comfort computer VW, and KESSY chips replace.
- Audi fifth-generation gearbox ECU replace.
- BMW E, F, G chassis 8HP gearbox data clear.

Packing List

THINKCAR PROG 2	Power Cord & Adapter	Diagnostic Cable	INS Cable V1	INS Cable V2
BENCH Cable vi	BENCH Connection Cable Type A	BENCH Connection Cable Type B	BENCH Connection Cable Type C	BENCH Connection Cable Type D
BENCH Connection Cable Type E	EEPROM Chip Adapter	EEPROM Converter	MCU Converter V1	MCU Converter V2
MCU Cable V1	Benz Infrared Analog Acquisition Key	User Manual	Packing List	

LEADING TECH IN
DIAGNOSTICS

www.thinkcar.com

03

Professional Diagnostic Tool For Commercial Vehicles

THINKTOOL Master CV

10-INCH INTELLIGENT DIAGNOSTIC TOOL FOR HEAVY DUTY, MEDIUM DUTY, TRUCKS



Equipped With 13 Non-standard Connectors



- 1

Type II OBD-9 Connector
- 2

CAT-9 Connector
- 3

BENZ-14 Connector
- 4

IVECO-38 Connector
- 5

MAN-37 Connector
- 6

OBD-6 Connector
- 7

OBD-16 Connector
- 8

IVECO-30 Connector
- 9

MAN-12 Connector
- 10

RENAULT-12 Connector
- 11

ISUZU-3 Connector
- 12

VOLVO-8 Connector
- 13

ISUZU-20 Connector

THINKTOOL Master CV

THINKTOOL Master CV is an 10-inch intelligent diagnostic tool for heavy duty, medium duty and commercial vehicles, which is capable of both On-Highway and Off-Highway with Bi-Directional capabilities. Master CV provides complete functions for technicians, such as full vehicle scan, read and clear fault codes, live data stream, actuation tests, special functions, maintenance reset functions and DPF regenerations.



Support 228+ Commercial Vehicle Brand

- ABS

• AGRICULTURAL (HD)

• ALLEGRO

• AMERICAN LAFRANCE

• AMERICAN COACH

• ANKAI

• ASHOK LEYLAND

• ASIASTAR

• ASTRA

• BATTISTI

• BCI

• BEIBEN (HD)

• BENDIX

• BERKSHIRE

• BHARATBENZ (HD)

• BLUEBIRD (HD)

• BONLUCK

• BOSCH

• BREMACH

• CAMC

• CAPACITY (HD)

• CASE (HD)

• CATERPILLAR

• CHAMPION

• CHAOCHAI

• CHRYSLER

• CITROEN

• CLAVAL

• CLOOINS

• COBUS

• CREDO

• CTRUCK

• CUMMINS

• DACHAI

• DAF

• DELPHI

• DENSO

• DETROIT

• DFAC

• DFL

• DIESEL

• DINA

• DOOSAN

• E-ONE

• EATON

• EICHER (HD)

• ELDORADO

• ELKHART

• ENC

• ERF

• FAW

• FLEETWOOD

• FERRARA

• FIAT

• FLEXICOIL (HD)

• FORD

• FORESTRIVER

• FOTON

• FREIGHTLINER

• FUSO

• GILLIG

• GM

• GOLDENDRAGON (HD)

• GWM

• HALDEX

• HIGER

• HINO

• HINO (SHANGHAI)

• HOLIDAY RAMBLER

• HONGYAN

• HUANGHAI

• HYUNDAI

• IC

• INTERNATIONAL

• IRIS BUS

• IRIZAR

• ISUZU

• IVECO

• JAC

• JCB (HD)

• JMC

• JOHN DEERE

• KALMAR OTTAWA

• KAMA

• KENWORTH

• KINGLONG

• KNORR (HD)

• KME

• KOBELCO

• MACHINERY

• MACK

• MAHINDRA (HD)

• MAN

• MAXXFORCE

• MAZDA

• MCI

• MERCEDES-BENZ

• MILLAR (HD)

• MITSUBISHI

• NABI

• NEOPLAN

• NEW FLYER

• NEWHOLLAND (HD)

• NISSAN

• NOVA BUS

• ORION

• OSHKOSH

• PACCAR

• PETERBILT

• PIERCE

• PREVOST

• QUANCHAI

• RENAULT

• RENEGADE

• SCANIA

• SCR

• SETRA

• SHAC

• SHANGCHAI

• SHAOLIN

• SIEMENS

• SINOTRUCK

• SLIVER BUS

• SITCAR

• SPARTAN

• SPRINTER

• STARCRAFT

• STARTRANS

• STERLING

• STEYR (HD)

• SUNLONG

• SUNWIN

• TATA

• TEMSA

• THOMAS BUILT

• TOYOTA

• UD

• VAN HOOL

• VOITH

• VOLVO

• VW

• WABCO

• WEICHAI WP

• WEICHAI

• WESTERN STAR

• WINNEBAGO

• XICHA

• YANGCHAI

• YUCHAI

• YUNNEI

• YUTONG

• ZF (HD)

• ZHONGTONG

• AND MORE...

13 Special Functions

- DPF Regeneration

• Injector Coding

• Reset Service(MIL)

• Maintenance Confirmation

• Injection Quantity Adjustment

• Particulate Filter Replacement Reset

• Reset Pressure Differential Sensor
- Reset Pressure Limiting Valve

• Bleeding The Adblue Circuit

• VGT Electronic Actuator Installation And Calibration

• Trip Reset

• Parked SCR Efficiency Test

• DPF Ash Accumulator Reset

Accurate Calibrations

Idle Speed Adjustment,Speed Limit, Cruise Control, Idle-Stop System, PTO, Coolant Level Switch, Exhaust Brake Valve, Intake Air Preheating, Vehicle Speed Controller, Air Conditioner, Oil Pressure Sensor, Electronic Fan, ABS, Automatic Transmission.

Specifications

- Operating System: Android 10.0

• Memory: 4G

• Storage: 128G

• Battery: 12600mAh/3.7V
- Screen: 10-inch

• Camera: Rear camera 8MP

• Network: Wi-Fi, WLAN 802.11b/g/n

• CPU: 2.0GHz| Quad Core

THINKTOOL Reader HD

5-inch OE-Level Bi-directional HD Diagnostic Tool

INTELLIGENT DIAGNOSTIC TOOL FOR HEAVY DUTY TRUCKS




Parameter Calibration



31+ Truck Brands



Full System Diagnostic



Special Function

THINKTOOL Reader HD

THINKTOOL Reader HD is an intelligent diagnostic instrument for commercial vehicles, integrating the most commonly used special functions. With extensive vehicle coverage for more than 31+ US, Asian and European commercial vehicle makes and machines, it has complete capabilities for codes, live data, actuation test and parameter calibration.



Support 31+ Truck Brands

- | | | | | |
|-----------|---------------|-----------------|----------|-----------------|
| • Bosch | • Caterpillar | • Cummins | • Doosan | • International |
| • Paccar | • Detroit | • DAF | • UD | • Hyundai |
| • MAN | • IVECO | • MERCEDES-BENZ | • KAMAZ | • MAHINDRA |
| • ISUZU | • Mitsubishi | • JCB | • HINO | • KINGLONG |
| • RENAULT | • SCR | • SCANIA | • MAZ | • SINOTRUK |
| • TATA | • VOLVO | • EICHER | • HOWO | • SPRINTER |
| • WABCO | | | | |

Remarks: All 31+ HD software 1-Year Free update please contact local dealer to update to 72 HD brand if needed.

Special Function

- | | |
|--------------------------------------|--|
| • DPF Regeneration | • VGT Electronic Actuator Installation And Calibration |
| • Reset Service(MIL) | • Parked SCR Efficiency Test |
| • Injection Quantity Adjustment | • Particulate Filter Replacement Reset |
| • Reset Pressure Differential Sensor | • Reset Pressure Limiting Valve |
| • Injector Coding | • DPF Ash Accumulator Reset |
| • Trip Reset | |

Parameter Calibration

- | | | |
|-------------------------|------------------------|----------------------------|
| • Idle Speed Adjustment | • Speed Limit | • Intake Air Preheating |
| • Cruise Control | • Electronic Fan | • Air Conditioner |
| • Exhaust Brake Valve | • Coolant Level Switch | • Vehicle Speed Controller |
| • Oil Pressure Sensor | • PTO | • Idle-Stop System |

HD OBD

THINKTOOL Reader HD supports full OBD HD functions such as read and clear DTCs, live data stream, read version information and more.

Specifications

- | | |
|--------------------------|--------------------------|
| • ROM/RAM: 64G/4GB | • Diagnostic Cable: 1.2M |
| • Battery : 3150mAh/3.7V | • Screen Size: 5-inch |

THINKCAR Heavy Duty Pack

Support THINKTOOL Master and THINKTOOL Master X

INTELLIGENT DIAGNOSTIC VCI FOR HEAVY DUTY TRUCKS



Supported Tools



150+ Truck Brands



OE-Level Diagnosis



13 Special Function



Bluetooth/USB
Connection

THINKCAR Heavy Duty Pack

THINKCAR Heavy Duty Pack is an intelligent VCI for 12V/24V vehicles, it works with THINKTOOL Master / Master 2 to operate diagnostic on 150+ truck brand worldwide including read version information, read and clear DTCs, live data stream, actuation test, special function and more.



Equipped With 13 Non-standard Connectors



- | | | | |
|---------------------------|-------------------------|----------------------|----------------------|
| 1 Type II OBD-9 Connector | 2 CAT-9 Connector | 3 BENZ-14 Connector | 4 IVECO-38/Connector |
| 5 MAN-37/Connector | 6 OBD-6 Connector | 7 OBD-16Connector | 8 IVECO-30/Connector |
| 9 MAN-12/Connector | 10 RENAULT-12/Connector | 11 ISUZU-3/Connector | 12 VOLVO-8/Connector |
| 13 ISUZU-20/Connector | | | |

13 Special Functions

- | | |
|--|--|
| • DPF Regeneration | • Reset Pressure Limiting Valve |
| • Injector Coding | • Bleeding The Adblue Circuit |
| • Reset Service(MIL) | • VGT Electronic Actuator Installation And Calibration |
| • Maintenance Confirmation | • Trip Reset |
| • Injection Quantity Adjustment | • Parked SCR Efficiency Test |
| • Particulate Filter Replacement Reset | • DPF Ash Accumulator Reset |
| • Reset Pressure Differential Sensor | |

Support 150+ Truck Brands

Benz, Man, Volvo, Daf, Scania, Iveco, Renault, Freightliner, International, Kenworth, Peterbilt, Stering, Western Star, Mack, Fuso, Isuzu, UD, etc

Accurate Calibration

Idle Speed Adjustment,Speed Limit, Cruise Control, Idle-Stop System, PTO, Coolant Level Switch, Exhaust Brake Valve, Intake Air Preheating, Vehicle Speed Controller, Air Conditioner, Oil Pressure Sensor, Electronic Fan, ABS, Automatic Transmission

Specifications

- | | | |
|--------------------------|-----------------------------|--------------------|
| • Working Voltage: 9-36V | • Connection: Bluetooth/USB | • Consumption: <3W |
|--------------------------|-----------------------------|--------------------|

THINKSCAN HD

5-INCH Heavy Duty Scanner With Lifetime Free Update

SUPPORT 31 HD BRANDS!



Support 31 Brands



Full System Scan



DPF Regeneration



Lifetime Free Update

THINKSCAN HD

THINKSCAN HD is a DIY level diagnostic scanner for 31 commercial vehicles, heavy duty, medium duty and trucks. It supports read/clear DTCs, read/compare/save data stream, read version information, DPF regeneration and more.



Support 31+ Brand

- | | | | |
|-------------|---------------|-----------------|----------------|
| • ALLISON | • CHRYSLER | • JOHN DEERE | • KENWORTH |
| • BENDIX | • FORD | • KOMATSU | • MACK |
| • EATON | • GM | • FREIGHTLINER | • PACCAR |
| • HALDEX | • NISSAN | • FUSO | • PETERBILT |
| • WABCO | • SPRINTER | • HINO | • UD |
| • CUMMINS | • TOYOTA | • HYUNDAI | • VOLVO |
| • DETROIT | • BOBCAT | • INTERNATIONAL | • WESTERN STAR |
| • MAXXFORCE | • CATERPILLAR | • ISUZU | |

Diagnostic Function

- | | | |
|-------------------|-----------------------|------------------|
| Read/Clear DTCs | Read Live Data | Read Data Stream |
| Read Freeze Frame | On-Board Monitor Test | I/M Readiness |
| O2 Monitor Test | DPF | PIN Detection |

Packing List

- | | | | |
|---------------|-------|-------|-----------------------|
| | | | |
| Type II OBD-9 | OBD-6 | CAT-9 | DB15 Diagnostic Cable |

Specifications

Operating System: Android 6
CPU: MT6580 Cortex-A74 1.3GHz
Ram/Rom: 2G/32G
Screen Size: 5-inch
Battery: 3150 mAh/3.8V

LEADING TECH IN
DIAGNOSTICS

www.thinkcar.com

04

TPMS Service Tools

THINKTPMS T90

Plug-Play TPMS & Service Tool


ALL-IN-ONE TPMS SENSOR ACTIVATION, PROGRAMMING AND RELEARN FUNCTION!



Plug-Play



Full TPMS Service



OBDII Diagnostics



98% Vehicle Coverage

THINKTPMS T90

THINKTPMS T90 is a plug-play TPMS service tool, compatible with U.S, Asian and European TPMS-equipped vehicles. T90 can activate, read and relearn all known sensors without binding with thinktools. Additionally, it can perform TPMS system diagnostics and OBDII diagnostics. It's a ideal choice to complete TPMS and tire health work.



Activate Sensor

THINKTPMS T90 can activate TPMS sensor to view sensor data such as sensor ID, tire pressure, tire frequency, tire temperature and battery condition.



Sensor ID



Tire Pressure



Tire Frequency



Tire Temperature



Battery Condition

Program Multi-sensor

THINKTPMS T90 support program the sensor data to THINKCAR TPMS sensor S1/ S2 and replace faulty sensor. Up to 8 sensors can be programmed at the same time.



Auto Create



Manual Create



Copy ID

Relearn Sensor

Relearn is used to write the newly programmed sensor IDs into the vehicle's ECU for sensor recognition.

Diagnostics Function

Support tire pressure fault diagnostics include read and clear DTCs, live data stream and more.



Read Codes



Clear Codes



Live Data Stream

Specifications

- CPU: GD32F407 168MHZ
- Storage: 128MB (Equipped with 16G TF card)
- Screen Size: 2.8-INCH
- Battery: 2600mA\3.7V
- Diagnostic Cable: 1.2m
- Diagnostic Interface: OBD II -16

THINKCAR T-Wand 100

INTEGRATED TPMS SENSOR ACITIVATION, PROGRAMMING
AND RELEARN FUNCTION



Activation



Programming



Relearn



Diagnosis

THINKCAR T-Wand 100

2022 New Arrival THINKCAR T-Wand 100, is a full TPMS (Tire Pressure Monitoring System) service tool. With the ability to read sensor data via Bluetooth. It can also relearn and program TPMS sensors via OBD port.



Activate Sensor

THINKCAR T-Wand 100 can activate TPMS sensor to view sensor data such as sensor ID, tire pressure, tire frequency, tire temperature and battery condition.



Sensor ID



Tire Pressure



Tire Frequency



Tire Temperature



Battery Condition

Program Multi-sensor

THINKCAR T-Wand 100 support program the sensor data to THINKCAR TPMS sensor S1/ S2 and replace faulty sensor. Up to 8 sensors can be programmed at the same time.

Relearn Sensor

Relearn is used to write the newly programmed sensor IDs into the vehicle's ECU for sensor recognition.



Auto Create



Manual Create



Copy ID

Diagnostics Function

Support tire pressure fault diagnostics include read and clear DTCs, live data stream and more.



Read Codes



Clear Codes



Live Data Stream

Specifications

- Dimensions: 113 x 196 x 35 mm
- Cable: 1.2M
- Working pressure: 9-18v
- Currency: ≤ 500mA
- Software Update: Through SD card/PC
- Battery: 3100mAh/3.8V
- Screen Size: 3.5-inch
- Operating System: ARM

THINKCAR T-Wand 200

INTEGRATED TPMS ACTIVATION, PROGRAMMING AND RELEARN FUNCTION



Smaller and
More Accurate!



Programming



Activation



Diagnostics



Relearn

THINKCAR T-Wand 200

THINKCAR T-Wand 200 is an upgraded version of THINKTPMS G1 with more sensitive antenna. Smaller and easy to carry and transport. THINKCAR T-Wand 200 works with THINKTOOL series to provide professional full TPMS (Tire Pressure Monitoring System) service for auto mechanics and DIY, integrated TPMS sensor activation, programming and relearn function.



Support THINKTOOL Series



THINKTOOL MAX



THINKTOOL
MASTER X



THINKTOOL
MASTER 2



THINKTOOL
MASTER



THINKTOOL Lite



THINKDIAG

Activate Sensor

THINKCAR T-Wand 200 can activate TPMS sensor to view sensor data such as sensor ID, tire pressure, tire frequency, tire temperature and battery condition.



Sensor ID



Tire Pressure



Tire Frequency



Tire Temperature



Battery Condition

Program Multi-sensor

THINKCAR T-Wand 200 support program the sensor data to THINKCAR TPMS sensor S1/ S2 and replace faulty sensor. Up to 8 sensors can be programmed at the same time.



Auto Create



Manual Create



Copy ID

Relearn Sensor

Relearn is used to write the newly programmed sensor IDs into the vehicle's ECU for sensor recognition.

Diagnostics Function

Support tire pressure fault diagnostics include read and clear DTCs, live data stream and more



Read Codes



Clear Codes




Live Data Stream

Specifications

- Dimensions: 64 x 198 x 32 mm
- Screen Size:1.77-inch
- Battery: 3000mAh
- Gross Weight: 0.57kg
- Working Current:5V
- Working Temperature:-10°C-50°C

THINKTPMS T600

4-INCH INTELLIGENT TPMS SERVICE TOOL WITH MAINTENANCE FUNCTION!



THINKTPMS T600

THINKTPMS T600 is a portable 4-INCH android system TPMS service tool, integrated TPMS sensor activation, programming and relearn function. The T600 also supports OBD function and 10 different kinds of special functions, including read and clear fault codes, read data stream, TPMS reset, ABS bleeding, battery reset, DPF regeneration and more.



Intelligent TPMS Solution

Activate Sensor

THINKTPMS T600 can activate TPMS sensor to view sensor data such as sensor ID, tire pressure, tire frequency, tire temperature and battery condition.

- Sensor ID
- Tire Pressure
- Tire Frequency
- Tire Temperature
- Battery Condition

Program Multi-sensor

THINKTPMS T600 support program the sensor data to THINKCAR TPMS sensor S1/ S2 and replace faulty sensor. Up to 8 sensors can be programmed at the same time.

- Auto Create
- Manual Create
- Copy ID

Relearn Sensor

Relearn is used to write the newly programmed sensor IDs into the vehicle's ECU for sensor recognition.

Maintenance Function

- Oil Reset
- SAS Reset
- Brake Reset
- TPMS Reset
- ABS Bleeding
- Battery Match
- Elec.Throttle Relearn
- DPF Regeneration
- Injector Coding
- Immobilizer

OBDII Diagnostics

The T600 support full OBDII diagnostic functions, including read and clear fault codes, read live data stream, DTC inquiry, OE Inquiry, Data Report, send diagnostic feedback. All the software one key free update.

Specification

- Screen Size: 4-INCH
- CPU: MT6580
- Storage: 16GB (Max: 128GB with TF Card)
- Battery: 4000 mAh/3.7V
- Connection: Wifi, Bluetooth

THINKCAR T-Wand 900

FULL VEHICLE DIAGNOSTIC WITH INTELLIGENT TPMS SENSOR ACTIVATION
PROGRAMMING AND RELEARN FUNCTION



Full TPMS Service



Full System Scan



Lifetime Free Update



28 Maintenance



Extensive Modules Support

THINKCAR T-Wand 900

THINKCAR T-Wand 900 is an intelligent TPMS service tool equipped with 5 TPMS S1 sensors, integrated full TPMS sensor activation, programming and relearn function. T-Wand 900 is also a full system diagnostic tool support 99% vehicles to read and clear fault codes, to read, save or compare live data stream, to do 28 different kinds of maintenance and resets.



FULL TPMS Service

Activate Sensor: to view sensor data such as sensor ID, tire pressure, tire frequency, tire temperature and battery condition.



Sensor ID



Tire Pressure



Tire Frequency



Tire Temperature



Battery Condition

Program Multi-sensor: To program the sensor data and replace faulty sensor. Up to 8 sensors can be programmed at the same time.



Auto Create



Manual Create



Copy ID

Relearn Sensor: To write the newly programmed sensor IDs into the vehicle's ECU for sensor recognition.

OE-Level Full Vehicle Diagnosis



Read/Clear DTCs



Graphic Live Data



28 Maintenance



FULL OBD2/EOBD Function

28 Maintenance Function

A/F Reset, Windows Calibration, Tyre Reset, Transport Mode, NOx Sensor Reset, Language Change, Injector, Immo, Bleeding, TPMS Reset, ODO Meter, Sus Reset, Sun Roof, GearBox Learn, Gear Learn, Elec. Throttle Rlm, EGR Adaption, Airbag Reset, Stop/Start Reset, Seats Calibration, SAS Reset, Oil Reset, DPF Reg., Coolant Bleed, Brake Reset, BAT. Match, AFS Reset, AdBlue Reset

Support Full THINKCAR Modules



Printer



Work Light



Video Scope



Battery Tester



Thermal Imager



Scope Box

Remarks: The modules are sold separately. Please contact local dealer to buy.

Specifications

- Screen Size: 7-inch
- ROM/RAM: 64G/2G
- Battery: 6000mAh/3.8V
- Operating System: Android 10
- Camera: 13MP Rear

THINKTPMS S3

Universal TPMS Sensor With Dual Frequency

EXTENSIVE COVERAGE OF 98% US/ASIAN/EUROPEAN VEHICLES



Unlimited Programming



315MHz/433MHz
Frequency



Rubber/Metal
Valves



Easy to install

THINKTPMS S3

The THINKTPMS S3 is a new generation universal TPMS sensors which can replace 98% OE-Sensors on the market, with unlimited programming and better performance. It provides 2 types of valves selection, rubber/ metal. Easy to install. The performance is comparable to the original factory, unlimited programming.



Main Features

- Replace 98% OE Sensors

THINKCAR S3 TPMS sensor can replace all original tire pressure sensors and copy the original tire pressure sensor data. performance comparable to the original factory, unlimited programming.

- 2 IN 1 DUAL FREQUENCY

THINKCAR S3 TPMS sensor has been manufactured to combine both 315 MHz and 433 MHz applications.

- EASY TO INSTALL AND USE

Easy to install and transport. The S3 has two types of valves selection, rubber and metal, to meet different applications..

- Good performance

Superior sensor battery power provide up to 4-6 years long battery.

- SAE Standards

The S3 is tested and certified to meet SAE industry standard J2657 testing. Waterproof grade up to IP67.

- Complete TPMS Solution

The S3 can be programmed infinitely by THINKCAR TPMS programmers T-WAND series and other thinktools with TPMS function.

Specifications

- Battery Life: 4-6 Years
- Frequency Support: 315MHz/433MHz
- Adjustable Installation Angle: 15-30°
- Certificates: CE, FCC, IC, ROHS, CP65
- Pressure Monitoring: 0-900kpa
- Waterproof: IP67
- Net Weight: 29g(Rubber)/30g(Metal)
- Warranty: 24 Months

LEADING TECH IN
DIAGNOSTICS

www.thinkcar.com

05

ADAS Calibration Kit

THINKCAR ADAS

Accurate, Portable, Guided Calibration

MAKE ADAS CALIBRATION EASIER AND MORE ACCURATE



Blind Spot Monitoring



Adaptive Cruise Control



360° Panoramic Monitoring



Collision Warning



Lane Departure Warning

THINKCAR ADAS

THINKCAR ADAS Calibration Kit is a portable device developed by THINKCAR. It uses five-line and cross laser instrument to assist in centering and positioning, which is more accurate. THINKCAR ADAS(Advanced Driving Assistance System) integrates with ACC, LDW, AVM, RCW, BSD system calibrations function.



Wide Coverage
(Support 98% car makes)



Foldable
(Easy to carry)



High Accuracy
(Five-line laser and cross laser)

Easy Installation

Universal calibration components, different tools can be freely assembled to calibrate different car models.

High Accuracy

The calibration data reaches millimeter-level, which is more accurate.

Guided Function

Guided calibration makes the operation easier.

Wide Coverage

Support 98% of vehicle with the ADAS. Supports Mercedes-Benz, BMW, Volkswagen, Audi, Land Rover, Jaguar, Porsche, Volvo, Fiat, Opel, SEAT, Skoda, Renault, Citroen, Peugeot, Romeo, SMART, MINI, GM, Buick, Cadillac, Chevrolet, Ford, Lincoln, Chrysler, Dodge, Jeep, Toyota, Lexus, Honda, Acura, Nissan, Infiniti, Kia, Hyundai, Mazda, Mitsubishi, Suzuki, Subaru and other models.

Full System Support

Lane Departure Warning (Ldw), Adaptive Cruise Control (Acc), 360 Panoramic Monitoring (Avm), Rear Collision Warning (Rcw), Blind Spot Monitoring (Bsd) and more.

LEADING TECH IN
DIAGNOSTICS

www.thinkcar.com

06

Intelligent EV Diagnostics

THINKTOOL CE EVD

INTELLIGENT EV DIAGNOSTIC TOOL WITH
POWERFUL THINKDIAG EV VCI !

NEW
ARRIVAL
2023



Support 80+
EV Brands



Full System
Diagnostic



Battery Pack
Diagnostic



30 Maintenance
Function




2-Year Software
Free Update

THINKTOOL CE EVD

THINKTOOL CE EVD is a new generation of intelligent diagnostics tool for electric vehicles, the CE EVD provides a comprehensive full system diagnostics and battery pack diagnostics for 80+ commonly used EV brands including Tesla. The CE EVD is equipped with powerful 3-IN-1 THINKDIAG EV VCI, Which can be performed via OBD or battery pack.



Integrated 30 Maintenance Function



Powerful Online Programming Function

- AUDI(EV)
- BMW(EV)
- PORSCHE(EV)
- VW(EV)
- FORD(EV)
- SAIC MG(EV)
- KIA(EV)
- SAIC MG(EV)
- Roewe SAIC(EV)
- Hyundai(EV)
- YUEDA(EV)
- SGM(EV)

Main Features

- Adopt the latest cloud diagnose technology for electronic vehicles to fast and accurate locate vehicle faults.
- Integrated electronic vehicle OBD diagnostics, battery pack diagnostics, maintenance function and more.
- Integrated the most commonly used 30 different kinds of maintenance function.
- Support 95% electronic vehicles and the TOP 20 electronic vehicles on the market.
- Powerful ECU coding and online programming function
- Strong anti-interference ability in strong electromagnetic environment.
- Equipped with THINKDIAG EV 3-in-1 powerful VCI with oscilloscope function.
- Equipped with TPMS modules to diagnose electronic vehicle TPMS system.
- Equipped with Printer for diagnose report print services.
- Equipped with 18 units non-standard battery pack connectors.
- 2-Year software free update.

Specifications

- Screen Size: 10-inch
- Ram/Rom: 4G/128G
- Operating System: Android 10.0
- Battery: 12600mAh/3.7V
- Camera: 8MP Rear
- Software: 2-Year Free Update (EV Software)

THINKTOOL[®] EV Package


For THINKTOOL Max and THINKTOOL Master X
Intelligent EV Diagnostics



Equipped with
18 EV Connectors



Equipped with
Jumper Kit



2-Year EV
Software



Tesla Software




Support 74+ EV
Software

THINKTOOL EV Package

THINKTOOL EV Package is specially developed for electronic vehicles, it includes 74+ commonly used EV software with 2-year free update, 15 non-standard EV connectors with 3 units Tesla connectors and jumper kit package. THINKTOOL EV package is apply for THINKTOOL Max and THINKTOOL Master X with THINKLINK VCI.



Packing List



Application



THINKTOOL Max



THINKTOOL Master X

Coverage List

BMS_BYD	EV_DFAC	EV_JILIZY	EV_OPEL	EV_TRUMPCHI
BMS_CATL	EV_DFBF	EV_JMEV	EV_PEUGEOT	EV_USAFORD
EV_AUDI	EV_DFFXZY	EV_KARRY	EV_POCCO	EV_VOLVO
EV_BAIC	EV_DONGNAN	EV_KIA	EV_PORSCHE	EV_VW
EV_BENZ	EV_FLYER	EV_LANDROVER	EV_QIRUIXNYZY	EV_WM
EV_BJXD	EV_FUTIAN	EV_LIEBAOZY	EV_RENAULT	EV_XK_LINGPAO
EV_BMW	EV_GM	EV_LIFAN	EV_SAICMG	EV_XP
EV_CHANGAN	EV_HANTENGZY	EV_LINGTU	EV_SAICROEWE	EV_YOGOMO
EV_CHANGCHENG-ZY	EV_HCXZY	EV_LIUWEI_TY	EV_SGM	EV_YQJC
EV_CHDAIHATSU	EV_HMAZDA	EV_LIXIANG	EV_SMART	EV_YUEDA
EV_CHRYSLER	EV_HONDA	EV_LUFENG	EV_SPRINTER	EV_YUEJINZY
EV_CHUANQIZY	EV_HUACHENZY	EV_MAXUS	EV_SUDA	EV_ZHIDOU
EV_CHZY	EV_HYUNDAI	EV_MITSUBISHI	EV_TESLA	EV_ZHONGTAI
EV_CITROEN	EV_JAC	EV_NETA	EV_TJYQZY	EV_ZZNISSANZY
	EV_JETOUR	EV_NISSAN	EV_TOYOTA	TESLA

CE EVC 101 CURRENT CLAMP

RELIABLE AND EASY TO USE

Accurate/ Fast/ Reliable

Apply to electronic vehicle current and voltage test.



CE EVP 802 BATTERY PACK MODULAR EQUALIZER

OPTIMIZE BATTERY PACK
PERFORMANCE

One-key Operation / Activate Battery
Extend Battery Life

Apply to optimize electronic vehicle battery performance
and extend battery life.

Specification

Power Input	AC90-260V(40-60H)
Charge/Discharge Voltage Range	1.8-4.2V
Voltage Detection Accuracy	±2mV (MAX: 5V)
Charge/Discharge Current Range	0.1- 5A (MAX)
Current Detection Accuracy	±0.05A (MAX: 5A)
Battery Temperature Detection Accuracy	±2°C (-25°C-85°C)
Modules Supported	2 Modules (1 Modules with 12 batteries max)
Charge/Discharge power	Max 600W
Battery Interface	16Pin, 24Pin
Screen Size	7-inch
Communication	Via TCP/IP, USB-Device
Charge/Discharge Data Inquiry	Histogram, data table
Size	496x246x262 mm
Weight	14kg



CE EVC 201 INSULATION TESTER

SAFE AND HIGH PRESSURE

High Pressure/ Safer/ Wide Resistance Detection

Apply to testing electronic vehicle high-voltage
components, battery systems, and power motor
systems etc.



CE EVP 902 BATTERY CHARGING EQUIPMENT

MAKING BATTERY PACK CHARGING
ANDDISCHARGING MORE EFFICIENCY

Triple Protection / Fast Charging And Discharging

Apply to electronic vehicle battery pack charging and
discharging.

Specification

Working Power Supply	AC110-220V(40-60HZ)
Screen Size	7-INCH
Data Communication	CAN, RS485
Storage	16G
Data Inquiry	Support In-memory data preview
Charging Voltage	DC 2-260V
Discharge Voltage	DC 2-260V
Charging Current	100A (Max) , Power: 4.4kW(Max)
Discharge Current	150A (Max), Power 7.2kw(Max)
Charging Control	constant current charging+constant voltage charging
Size	512×295×339mm
Weight	28kg



LEADING TECH IN
DIAGNOSTICS

www.thinkcar.com

07

Vehicle Maintenance Equipment

THINKCAR TK-IMT602

Integrates Fuel Injector Cleaning And Testing Function

FUEL INJECTOR CLEANER & TESTER



Ultrasonic Cleaning



Fuel Injector Test



Uniformity Test



Leak Checking Test



All-in-one Design

THINKCAR TK-IMT602 is a powerful fuel injector cleaning and inspecting equipment developed by THINKCAR. Integrates fuel injector clean and test function. It's widely used in automotive maintenance and repair.

THINKCAR TK-IMT602

THINKCAR TK-IMT602 is a mechatronics device that combines ultrasonic cleaning technology and microcomputer oil pressure closed loop control cleaning and detection technology. This product simulates various operating conditions of the engine, cleans and inspects the fuel injectors of various automobiles and motorcycles.



Main Function

ULTRASONIC CLEANING

The build-in ultrasonic cleaning mechanism and LED display featuring, ensure a thorough cleaning & makes data straightforward.

FUEL INJECTOR TEST

THINKCAR TK-IMT602 simulates different working conditions of the engine, and tests injectors of various cars such as idle speed test, medium speed test, high speed test, accelerating test etc.. to detect the status of the fuel injectors.

- Idle Speed Test 0-20 ms
- Medium Speed Test 0-75ms
- High Speed Test 0-4ms
- Accelerating Test
- Shifting Speed Test
- Leak Checking Test
- Idling Spray Value Test
- Medium Speed Spray Value Test
- High Speed Spray Value Test
- Reverse Flushing

Advantages

- Bosh oil pump, ensure long-term stable use
- Wide application, support 99% car injectors on the market
- Unique design, integrates injector clean and test function, saving space
- Equipped with connectors and accessory drawers
- Support external GDI module
- 6- cylinders, allows for 6 injectors cleaned simultaneously
- High-definition digital tube display makes the operation clear and easy to learn
- Fuel tank level is visually displayed, and the test liquid can be recycled

Specifications

Power supply	AC220V/110V±10%
Frequency	50HZ±0.5
Magnetic Field	<400A/m
Capacity of Measuring Cylinder	125ml
Speed Range	0~7500rpm
Injecting Times	0~7500 Step: 100ms
PWM Pulse	0~20.0 ms Step: 0.1 ms
System Pressure	0~72psi (adjustable)
Time	0~20minute (adjustable)
Power of Ultrasonic Cleaning	70W
Frequency Ultrasonic Cleaning	28KHZ±0.5KHZ
Dimensions	380mm x 485mm x 470mm
Weight	16kg

THINKCAR GDI

For Standard & High Pressure Fuel Injectors

FUEL INJECTOR SIGNAL GENERATOR



Support THINKCAR
TK-IMT602



12V Standard Injector



75V High Volt Injector



600-6000rpm
Working frequency

THINKCAR GDI

THINKCAR GDI is used to test automobile injectors to determine whether the fuel injectors are stuck, leaking, or burning. It is possible to set multiple pulse outputs and adjust speed, pulse width, operating time and other parameters as required. It is also possible to connect two nozzles for the simultaneous operation to compare the sprayability status and the spray angle of the fuel injector.



Support Injector Types

- 12V Standard Injector
- 75V High Volt Injector

Wide Operating Frequency & Time Range

The Operating frequency range can reach 600-6000rpm, the operating time setting range can reach 0-99mins.

Package List



1pc THINKCAR
GDI main unit



1pc Power
supply adapter



1pc Injector
connector



2pc Connection
line



1pc Power
supply cable

Fit for All Gasoline and Diesel Car

THINKCAR GDI BOX is suitable for all Gasoline and diesel cars. It can also be used to enhance all injector pulse signals, configure multiple pulse outputs, and adjust speed, pulse width, running time and other parameters as needed.

Support THINKCAR TK-IMT602



THINKCAR GDI 100

Injector Tester & Cleaner

SUPPORT DIFFERENT GDI INJECTORS WITH 6 CYLINDERS



NEW
ARRIVAL
2023



GDI Full Support



Unique Integral
Cabinet Design



Ultrasonic
Cleaning



Low Resistance
Injectors Test



Easy
Operation

THINKCAR GDI 100






















THINKCAR GDI 100 is a powerful injector cleaner and tester with enhanced function and more unique integral cabinet and multilingual control panel design. The GDI 100 support different GDI brands in the market, provides complete GDI cleaning and testing solution.



Main Features

- **Support Different GDI Brands.**
Supports Borch, Denso, Delphi etc to test low resistance injector, Side-feed injector, TBI injector, Votec injector.
- **Low Resistance Injector Test**
Supports low resistance injector (1Ω-2Ω) test and clean function.
- **Automatic Test**
Supports ultrasonic cleaning, uniformity sprayability test, leakage test, injecting flow test, auto mode test, on-vehicle cleaning.
- **RPM & Pulse Width Adjustable**
Supports adjust different mixing parameters for injector detection. RPM range: 100~9999, pulse width range: 0.1 ~25ms.
- **Read Resistance Value**
Users can easily know if the circuit of the fuel injector has been damaged or not in advance to save time and improve working efficiency.

Packing List

 Main unit 1 Set	 Ultrasonic Cleaner 1 Set	 Top-feed fuel separator 1 Set	 Lock handwheel 2 Pcs	 Vice adaptor 6 Pcs	 Main adaptor 6 Pcs	 Fuel separator stopper 5 Pcs
 Injector shims 6 Pcs	 Extended pole assembly 2 Set	 M12 adaptor 6 Pcs	 GDI narrow adaptor 6 Pcs	 GDI universal connector 6 Pcs	 Power cable 1 Pc	 Main pulse cables 1 Pc
 Resistance test cable 1 Pc	 Pulse signal transfer cable normal 6 Pcs	 Pulse signal transfer cable DuPont 6 Pcs	 Hook 1 Pc	 Fuel feed funnel 1 Pc	 Hole stopper 1 Pc	 User's Manual 1 Pc

Specifications

- Main unit power supply: AC220V±10% 50Hz/60Hz or AC110V±10%60Hz
- Input power:230W
- Ultrasonic cleaner power: 100W
- Resistance test accuracy: 0.1Ω
- Simulated RPM range:100~9900rpm, step: 10rpm
- Time range: 5~300s,step:5s
- Pulse width:0.1~25ms,step: 0.1ms
- Fuel tank capacity: 2000 ml
- Work pressure: 0-7bar
- Main Unit Size: 311X346X605mm
- Packing Size: 375*405*510mm
- Main Unit Weigh: 15 KG
- Gross Weight 17.5 KG

THINKCAR AC100 A/C Service Station

Intelligent Refrigerant Recovery Machine

INTEGRATES REFRIGERANT RECOVERY, FILLING, VACUUMING AND
REFUELING FUNCTION!



**NEW
ARRIVAL
2023**



THINKCAR AC100 A/C Service Station








THINKCAR AC100 is an intelligent refrigerant recovery machine developed by THINKCAR. It supports two types of refrigerants, R134a and R1234yf. The AC100 integrates the functions of refrigerant recovery, filling, vacuuming, and refueling. The unique design with automatic working panel help the technicians and automotive maintenance more professional and simplistic.



Product Features

- Automatic Working Mode
Support parameter setting in advance to complete the work according to the instructions.
- Reliable and Safety Operation
Support automatically stop and alarm when there is a problem with the replacing process to ensures the safety of the equipment and vehicle.
- Build-in Database
The build-in database to help matching the corresponding vehicle refrigerant type and filling amount to improve efficiency.
- Unique Design
With the large size transparent viewing window and the LED background light, the operation process and data is clearly visible.
- Equipped with a micro-printer to print out the total working hours and materials used.
- Equipped with a small tank interface to add small tank of refrigerant.

Packing List

 Main unit 1 Pc	 Couplers High&Low pressure 1 set	 Working tubes(3m) Red and Blue 1 set	 Seal for tube 4 Pcs
 Power cable 1 Pc	 Expansion joint 1 Pc	 User manual 1 Pc	

Specifications


- Working Temperature: 0-50℃
- Input Voltage: AC220V~50/60Hz or AC110V~60Hz
- Compressor 12.12cm³
- Vacuum Pump: 7.2m³/h, 5Pa
- Refrigerant Tank: 12L (Max: 10kg)
- LCD Size: 240mm x 128mm
- Working Pressure: 20 Bar (Max.)

THINKCAR PLD 212

PROFESSIONAL AUTOMOBILE PIPELINE SMOKE LEAK DETECTOR



EVAP and Turbo
Two Models
Available



Wide Application



Build-in Air Pump



Large Smoke Flow
(10L/Min)



Overheat Protection



Air Mode/Smoke
Mode

THINKCAR PLD 212

THINKCAR PLD 212 is a professional automobile pipeline smoke leak detector, to detect the leakage of pipe systems on cars, motorcycles, light trucks,boats etc. It's widely used in automotive repairs to detect vehicle air and oil leaks. It can also use together with thinkcar diagnostic tools to quickly diagnose vehicle engine leakage related fault.



Advantages

- **Wide Applications**
For detecting the leakage of pipe systems on cars, motorcycles, snowmobiles, off-road vehicles, light trucks and speedboats boats. Suitable for all car models.
- **Powerful and Easy to Operate**
Build-in Air Pump without relying on other machines and Pressure Gauge with precise scales. Simply connect the detector with the DC12V battery, it can output thick smoke within 30s after turning on.
- **Dual Flow Meters design**
Unique Design with 2 meters to observe the flow meter and the pressure gauge for leak status.
- **EVAP System Test**
PLD 212 can detect tiny leak holes up to 0.5mm with hold-limited pressure protection in EVAP mode to protect vehicle pile from damage.
- **Overheat & Anti-frost Protection**
PLD 212 has an intelligent protector, if it exceeds the working limit, such as over 120 °C, it will automatically turn off the power to secure the safety of both the operator and device.
- **Air Mode and Smoke Mode**
PLD 212 offers two test mode, air mode and smoke mode.

Packing List

 x1	 x1	 x1	 x1	 x1
Main Unit	Power Supply Cable	Smoke Hose	Standard Cone Adapter	EVAP Special Connector (EVAP Model ONLY)
 x1	 x1	 x8	 x1	
Funnel	Airbag	Hard rubber Hose Plug	Screwdriver (EVAP Model ONLY)	

Specifications

- Output Pressure: 13-16Psi For Turbo Model
- Output Pressure: 10-16inch H₂O (2.5-4KPa) For EVAP Model
- Flow Amount: 8-15L / Min
- Oil Volume:45ML
- Supply Voltage:DC 12V
- Power Supply Cable Length: 2M
- Smoke Hose Length: 2M

THINKPPS 150

5-IN-1 MULTI-FUNCTIONAL PROGRAMMING POWER SUPPLY



Programming Power Supply



Fast Charging



Battery Activation & Repair



Exhibition Mode



Jump Start

THINKPPS 150

THINKPPS 150 is a professional power supply, to provide stable power supply to support vehicle module programming. It can also provide battery fast charging, battery activation and repair services as well as vehicle jump start. It's widely used in automotive repair and maintenance.




Wide Applications

- **Programming Power**
To provide stable power and assisting the vehicle's electronic modules in programming or decoding.
- **Battery Activation and Repair**
To activate and repair old, idle or damaged batteries.
- **Exhibition Mode**
Power to the car without consumption of car battery power when replacing a battery.
- **Battery Fast Charging**
Quick, efficient charging ordinary batteries , AGM, GEL, EFB batteries, automatically adjust the charging voltage and current to conduct the appropriate charging process.
- **Jump Start**
To jump start vehicles by providing 400A starting current to ensure starting car engines.

Specifications

- Input the rated voltage: 110V±15%,220V±15%
- Programming power supply voltage range: 10.8V~15V
- Incoming frequency: 50Hz/60Hz
- Losses of open circuit: 20W
- Rated input power: 3.8KVA
- Case protection grade: IP21S
- Charging current / voltage: 20A/12V
- Size(mm): 520x410x290
- Start-up current / voltage: 400A~12V
- Gross Weight(KG): 14.1KG

Packing List



Battery Clip Line(5M)



User Manual




EU Adaptor


THINKCAR TKey 101 Universal Smart Key

Provide 6 Unit Universal Remote Keys
EASY READ AND WRITE KEY INFORMATION







Support 8000+ Car Models



Equipped with 4 Anti-theft Type



Support THINKCAR PROG



Easy to use

THINKCAR TKey 101 Universal Smart Key

THINKCAR TKey 101 Universal Smart Key is designed to program blank keys for different vehicle brands and models. It's widely used for locksmiths or car mechanics to read and write the program and do anti-theft matching.



Main Function

- Equipped with 4 standard anti-theft keys.
- Supports anti-theft data for more than 8,000 car models
- Equipped with super-module chip to apply for more anti-theft chips
- Various key types are available
- Support car remote control identification and generation

4 Different Key

- TK-wire : Wire Key
- TE-wireless : Super Wireless Key
- TN-wireless : Electronic Wireless Key
- Smart Key Type Remote: NXP-Smartkey, TM38-Smartkey, TM38-TOYOTA, TM38-HYUNDAI

Remarks: Each car model supports different key type, please refers to the instructions to find the corresponding key to flash when runing the key programming procedure in THINKCAR tools.

Packing List



TK-wire type remote



TE-wireless stype remote



TN-wireless type remote



Smart key type remote



TKey Chip



USB3.0 to TYPE-C



Remote generation cable

LEADING TECH IN
DIAGNOSTICS

www.thinkcar.com

08

Functional Modules

THINKCAR T-Wand 200

Innovative & Intelligent Tire Pressure Diagnostic Tool

- Read battery level condition, read sensor ID, pressure...
- Cover more than 95% vehicle models with TPMS
- Program & relearn THINKCAR dual frequency (315MHz&433MHz)
- Perform tire pressure fault diagnosis, including read DTC, clear DTC and more



THINKTOOL Scope Box

Useful, Professional, with Easy Operation

- 100M bandwidth, 4 channels
- Up to 1GSa/s of sampling rate, with 50Mpts record length
- Perform different vehicle ignition tests, and a variety of sensor and actuation tests
- Support multi-vehicles' BUS decoding
- Large touch screen + knob + button mixed operation for ThinkTool & Think Tool Lite only



For THINKTOOL
Master x, Master, Master 2, Max



For THINKTOOL
& THINKTOOL Lite

THINKCAR PROG2

Making Immobilizer Match Easier and Smarter

- Read and write car key chip data
- Support common EEPROM, MCU reading and writing
- Car key reading and programming
- Gear box programing
- Support THINKTOOL Max, THINKTOOL Master X, Master, Master 2



THINKTOOL Trolley

Multi-functional Tool Trolley with 5 Layers Design


- Top layer tilt design for easy operation
- Lockable drawer for safer storage
- Special hock rack design for wire arrangement
- Metal radiating plate for laptop/equipment effectively heat elimination
- Push/pull handle and 360°freely rotatable wheels, take the cart to wherever you want
- Made of high-quality steel at least 2mm thickness



THINKTOOL Thermal Imager

Identify Faults with Massive Data Comparison

- 320*240 ultra-high pixels, easy to view details
- 32.126°F (0.07°C) thermal sensitivity
- Massive automotive heat maps for fault comparison



THINKWORKLIGHT

Ultra-High Brightness LED Worklight

- 3-level brightness adjustment
- 144 high-brightness LED lights
- COB light source, 25000K white-light, long range illumination
- Long life expectancy, up to 10,000 hours
- Work with Module Dock



THINKTOOL Battery Tester

Innovative Battery Testing, Leave Traditional Way in the Past

- Integrated with ThinkTool HD screen for clearer display
- High-precision data monitoring, with more accurate results
- Support detecting battery voltage, resistance, service life, current and etc.



THINKTOOL Video Scope

See Deeper & Clearer, with More Details in Narrow Spaces

- 1280*720 high definition
- 59-inch (150cm) super long hardwired coil
- 6 bright LED auxiliary lights
- Water, oil and corrosion resistant, IP67 rated with alkali resistance



THINKCAR Heavy Duty Pack

Heavy Duty / Medium Duty / Light Duty Vehicle Communication Interface


- Works on 12V to 24V systems
- Full comprehensive HD truck diagnostic software
- Read version information, read/clear DTCs
- Read data streams, actuation test, special functions
- Support Bluetooth/USB connection



THINKPRINTER / THINKPRINTER 2

Quick Print Diagnostic Reports Anytime and Anywhere

- 3.1-inch (80mm) paper width, 1.2-inch/s (30mm/s) fast printing
- Intelligent notification for refilling paper
- Ultra-thick thermal coating, with contents retained for 10 years
- Work with Module Dock as a wireless printer



THINKPRINTER



THINKPRINTER 2

THINKEASY / THINKEASY 2 Battery Test Clip

THINKCAR Bluetooth Battery Tester, Simple but Smart

- A fast and accurate tool for car battery test on your mobile by Bluetooth connection
- Display the health status of the battery, and detect the damaged part
- Check the starting system and charging system of your vehicle
- Low battery inspection
- Support all 12V with starting lead acid batteries
- No heating, no spark, no operation risk








THINKEASY
Battery Test Clip



THINKEASY 2
Battery Test Clip

THINKTOOL Series Comparison Chart

Model						
	THINKTOOL Max	THINKTOOL Master X	THINKTOOL Master X2	THINKTOOL Master / Master 2	THINKTOOL Expert 195	THINKTOOL SE
VCI	THINKLINK J2534/D-PDU/CAN FD ISO 14230-4(KWP2000) ISO 15765-4(CAN) ISO 9141-2(iso) ISO 14229(uds) ISO 11898-2 SAE J1850(VPW&PWM) SAE-J1939 SAE-J2411 SAE-J2819 PLC J2497 Do-IP More...	THINKLINK J2534/D-PDU/CAN FD ISO 14230-4(KWP2000) ISO 15765-4(CAN) ISO 9141-2(iso) ISO 14229(uds) ISO 11898-2 SAE J1850(VPW&PWM) SAE-J1939 SAE-J2411 SAE-J2819 PLC J2497 Do-IP More...	THINKLINK J2534/D-PDU/CAN FD ISO 14230-4(KWP2000) ISO 15765-4(CAN) ISO 9141-2(iso) ISO 14229(uds) ISO 11898-2 SAE J1850(VPW&PWM) SAE-J1939 SAE-J2411 SAE-J2819 PLC J2497 Do-IP More...	THINKDIAG-Master ISO 14230-4(KWP2000) ISO 15765-4(CAN) ISO 9141-2(iso) ISO 14229(uds) SAE J1850(VPW&PWM) TVCI-Master 2 CAN FD ISO 14230-4(KWP2000) ISO 15765-4(CAN) ISO 9141-2(iso) ISO 14229(uds) SAE J1850(VPW&PWM)	THINKLINK Lite ISO 14230-4 (KWP 2000) ISO 15765-4(CAN) ISO 9141-2 (ISO) ISO 14229 (UDS) SAE J1850 (VPW & PWM) CAN FD DoIP	THINKDIAG ISO 14230-4 (KWP 2000) ISO 15765-4(CAN) ISO 9141-2 (ISO) ISO 14229 (UDS) SAE J1850 (VPW & PWM)
Hardware						
Screen size	13.3-inch	10-inch	10-inch	10-inch	9-inch	8-inch
Processor	2.0GHz I OCTA-Core	2.0GHz I QUAD-Core	2.0GHz I QUAD-Core	2.0GHz I QUAD-Core	2.0GHz QUAD-Core	2.0GHz QUAD-Core
ROM/RAM	256G/8G	128G/4G	128G/4G	64G/4G	128G/4G	64G/4G
Camera	13MP Rear	8MP Rear	13MP Rear	8MP Rear	8MP Rear	13MP Rear/5MP Front
Battery	18600mAh/3.7V	12600mAh/3.7V	12600mAh/3.7V	12600mAh/3.7V	12600mAh/3.7V	12600mAh/3.7V
Supported Module	Video Scope-USB (Standard) THINKEASY 1/2 Battery Tester (Standard) Scope Box-USB (Standard) THINKCAR T-Wand 200 (Standard) THINKCAR Prog (Optional) Kits Cart (Optional)	Printer-USB(Standard) Video Scope-USB (Optional) Battery Tester (Optional) Scope Box-USB (Optional) THINKCAR T-Wand 200(Optional) THINKCAR Prog (Optional) Worklight (Optional) Thermal Imager (Optional)	Printer-USB Scope Box-USB THINKEASY 1/2	Printer-USB (Optional) Video Scope-USB (Optional) Battery Tester (Optional) Scope Box-USB (Optional) THINKCAR T-Wand 200(Optional) THINKCAR Prog (Optional) Worklight (Optional) Thermal Imager (Optional) Heavy Duty Module (Optional)	Printer-USB Scope Box-USB THINKEASY 1/2	Printer-USB (Optional) Video Scope-USB (Optional) Battery Tester (Optional) Scope Box-USB (Optional) THINKCAR T-Wand 200 (Optional) Worklight (Optional) Thermal Imager (Optional)
Software						
Operating System	Android 9.0	Android 10.0	Android 10.0	Android 10.0	Android 10	Android 10
Software Subscription	2 Years Free	2 Years Free	2 Years Free	2 Years Free	2 Years Free	2 Years Free
VIN Identification	Auto	Auto	Auto	Auto	Auto	Auto
ADAS Calibration	✔	✔	✔	✔	✔	✖
Topological Graph	✔	✔	✔	✔	✔	✖
VW Guide Function	✔	✔	✔	✔	✔	✔
24v Heavy Duty	228+makes	150+makes	150+makes	150+makes(Optional)	✖	✖
Vehicle Support	12v Passenger Vehicles After 1996	12v Passenger Vehicles After 1996	12v Passenger Vehicles After 1996	12v Passenger Vehicles After 1996	12v Passenger Vehicles After 1996	12v Passenger Vehicles After 1996

Model						
	THINKTOOL Max	THINKTOOL Master X	THINKTOOL Master X2	THINKTOOL Master / Master 2	THINKTOOL Expert 195	THINKTOOL SE
Diagnostic Features						
Full OBDII/EOBDII Function	✔	✔	✔	✔	✔	✔
Read and Clear DTCs	✔	✔	✔	✔	✔	✔
Live Data Stream	✔	✔	✔	✔	✔	✔
Actuation Test	✔	✔	✔	✔	✔	✔
Coding	✔	✔	✔	✔	✔	✔
Online Programming	✔	✔	✔	✔	✖	✖
TPMS	✔	Optional	✔	Optional	Optional	Optional
Special Function	✔	✔	✔	✔	✔	✔
Video Remote	✖	✖	✔	✖	✔	✖
Maintenance Reset	41 RESET A/F Reset Windows Calibration Tyre Reset Transport Mode NOx Sensor Reset Language Change Injector Immo Bleeding TPMS Reset ODO Meter Sus Reset Sun Roof GearBox Learn Gear Learn Elec. Throttle Rlrn EGR Adaption Airbag Reset Stop/Start Reset Seats Calibration SAS Reset Oil Reset DPF Reg. Coolant Bleed Brake Reset BAT. Match AFS Reset AdBlue Reset AC System Relearn Engine Power Balance Monitoring CCS Calibration Motor Angle Calibration High Voltate Battery Gas Particulate Filter Regeneration IMMO PROG Clutch Matching ECU Reset FRM Matching Rainfall Light Sensor Turbocharging Matching Gateway Module Data Calibration	41 RESET A/F Reset Windows Calibration Tyre Reset Transport Mode NOx Sensor Reset Language Change Injector Immo Bleeding TPMS Reset ODO Meter Sus Reset Sun Roof GearBox Learn Gear Learn Elec. Throttle Rlrn EGR Adaption Airbag Reset Stop/Start Reset Seats Calibration SAS Reset Oil Reset DPF Reg. Coolant Bleed Brake Reset BAT. Match AFS Reset AdBlue Reset AC System Relearn Engine Power Balance Monitoring CCS Calibration Motor Angle Calibration High Voltate Battery Gas Particulate Filter Regeneration IMMO PROG Clutch Matching ECU Reset FRM Matching Rainfall Light Sensor Turbocharging Matching Gateway Module Data Calibration	41 RESET A/F Reset Windows Calibration Tyre Reset Transport Mode NOx Sensor Reset Language Change Injector Immo Bleeding TPMS Reset ODO Meter Sus Reset Sun Roof GearBox Learn Gear Learn Elec. Throttle Rlrn EGR Adaption Airbag Reset Stop/Start Reset Seats Calibration SAS Reset Oil Reset DPF Reg. Coolant Bleed Brake Reset BAT. Match AFS Reset AdBlue Reset AC System Relearn Engine Power Balance Monitoring CCS Calibration Motor Angle Calibration High Voltate Battery Gas Particulate Filter Regeneration IMMO PROG Clutch Matching ECU Reset FRM Matching Rainfall Light Sensor Turbocharging Matching Gateway Module Data Calibration	41 RESET A/F Reset Windows Calibration Tyre Reset Transport Mode NOx Sensor Reset Language Change Injector Immo Bleeding TPMS Reset ODO Meter Sus Reset Sun Roof GearBox Learn Gear Learn Elec. Throttle Rlrn EGR Adaption Airbag Reset Stop/Start Reset Seats Calibration SAS Reset Oil Reset DPF Reg. Coolant Bleed Brake Reset BAT. Match AFS Reset AdBlue Reset AC System Relearn Engine Power Balance Monitoring CCS Calibration Motor Angle Calibration High Voltate Battery Gas Particulate Filter Regeneration IMMO PROG Clutch Matching ECU Reset FRM Matching Rainfall Light Sensor Turbocharging Matching Gateway Module Data Calibration	35 RESET A/F Reset Windows Calibration Tyre Reset Transport Mode NOx Sensor Reset Language Change Injector Immo Bleeding TPMS Reset ODO Meter Sus Reset Sun Roof GearBox Learn Gear Learn Elec. Throttle Rlrn EGR Adaption Airbag Reset Stop/Start Reset Seats Calibration SAS Reset Oil Reset DPF Reg. Coolant Bleed Brake Reset BAT. Match AFS Reset AdBlue Reset Clutch Matching ECU Reset FRM Matching Rainfall Light Sensor Turbocharging Matching Gateway Module Data Calibration	34 RESET A/F Reset Windows Calibration Tyre Reset Transport Mode NOx Sensor Reset Language Change Injector Immo Bleeding TPMS Reset ODO Meter Sus Reset Sun Roof GearBox Learn Gear Learn Elec. Throttle Rlrn EGR Adaption Airbag Reset Stop/Start Reset Seats Calibration SAS Reset Oil Reset DPF Reg. Coolant Bleed Brake Reset BAT. Match AFS Reset AdBlue Reset Clutch Matching ECU Reset FRM Matching Rainfall Light Sensor Turbocharging Matching Gateway Module Data Calibration

www.thinkcar.com